



Interac Corp.

Information Conformance Statement (ICS)  
Form for Readers/Terminals spec v1.8a

Company information	
Company name	ID TECH
Registered Address	10721 Walker Street Cypress, CA, USA 90630-4720
Primary Contact for Communication with <i>Interac</i> and DI CA	
Name	George Jiang
Title	Chief Technology Officer
Email	George.Jiang@idtechproducts.com
Phone	+1-714-761-6368
Product Information	
Family of devices name (if applicable)	NEO 3.0
Product commercial name	Kiosk V
Device Model (please include all components if integrated device)	Kiosk V IDVK-5XX
Kernel/application version number	Interac 1.8a, v1.00
DI Reader Terminal Specification Version #	Version 1.8
Other information – to be filled in by Certification Agent	
<i>Interac</i> Product Registration number	VIV20032



**Product technical information**

	Function / Capability	Yes	No	Notes	Yes	No	Notes
	POS Device:				ABM Device:		
A.1	Does the device support Mag- stripe		X				
A.2	Does the device support contact?		X		YES		ABM must support contact interface
A.3	Contact application at another Terminal in the same environment	X		If 'Yes' TTI bye 1 bit 6 is set to '1'	N/A	N/A	
A.4	Is the device a Contactless ABM	N/A	N/A				ABM must support contact interface
A.5	Is the device a Transit Terminal		X	MCC = '4111' and MTI = '04' CDA mandatory (E.1)	N/A	N/A	
	Does the Reader:						
B.1	Have a display		X	Appropriate TTI			

				bits should be set			
	Or						
B.2	Connected to a Terminal with a display	X			N/A	N/A	
	Is the Reader:						
C.1	Offline with Online Capabilities	X					
C.2	Offline Only	N/A	N/A		N/A	N/A	Not permitted – consult INTERAC if offline only reader required
C.3	Online Only		X				
	Does the device:						
D.1	Support online PIN	X		Appropriate TTI bits should be set	YES		Mandatory for Contactless ABM
D.2	Non-zero contactless floor limit supported	X			N/A	N/A	
E.1	CDA supported	X		Transit must select this option			
F.1	Transaction logging supported		X				
G1	Printer supported		X	N/A for Transit			
H.1	EMV Legacy Floor Limit checking supported		X				
J1	Refund supported	X			N/A	N/A	
J3	Pre-auth supported	X			N/A	N/A	
	Form Factor Values supported:						
L.1	'00', '01' or '02'	X		TTI should have B2b2 set to '1' and B2b1 set to '1'			TTI should have B2b2 set to '1' and B2b1 set to '1'
L.2	'03'	X		TTI should have B2b3 set to '1' and B2b1 set to '1'			TTI should have B2b3 set to '1' and B2b1 set to '1'
	Is the Device an SCRCP?		X	If 'Yes' PCI COTS Certification is	N/A	N/A	

				mandatory  For Interac Information only. No Functional test cases in the checklist			
T.2	Blocklist supported at transit terminal		X		N/A	N/A	
T.3	ABM supports Contactless BIN checking	N/A	N/A				ABM Contactless BIN MUST be separate from Contact BIN
T.4	Terminal Contactless per transaction limit checking supported		X				Must be used for Transit terminals. May not be used by any other POS terminal.
T.5	Multiple online transactions supported		X	Transit must select this option			

The following table allows the vendor to state other terminal values used outside of the default configuration:

Data Element	Value	Notes:
Maximum Target Percentage to be used for Biased Random Selection	32	
Target Percentage to be used for Random Selection	0A	
Threshold Value for Biased Random Selection	00 00 00 00 50 00	
Terminal Transaction Information (TTI)	BC 07 00	
Merchant Type Indicator (MTI)	03	

Other data elements different to the Terminal Configuration specified in the document		

<b>Method to amend Terminal Parameters so that the tests can be executed i.e. how to change the Terminal Action Codes</b>		
<b>Please refer to "Certification Lab Tool User Guide REV 1.0"</b>		

